Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy

	Inspection Date: 03/20/xxxx							
Owner Information								
Owner Name: Your name here				Contact Person:	Contact Person: Home Phone:			
	ss: xxxxx Poinciana Dr	Zim: 22225						
•	WESTON	Zip: 33326		Work Phone: Cell Phone:				
County		FL						
	nce Company:	W CG. :		Policy #:				
Y ear o	f Home: 1982	# of Stories: 1		Email:				
accom	: Any documentation used in pany this form. At least one p 17. The insurer may ask addi	hotograph must accompa	any this form to vali	date each attribute marke	ed in questions 3			
	ilding Code: Was the structure HVHZ (Miami-Dade or Browa				R for homes located in			
	A. Built in compliance with the a date after 3/1/2002: Building				rmit application with			
	B. For the HVHZ Only: Built i provide a permit application w							
X	C. Unknown or does not meet	the requirements of Answe	er "A" or "B"					
OR	of Covering: Select all roof cov. Year of Original Installation/Revering identified.							
	2.1 Roof Covering Type:	Permit Application Date	FBC or MDC Product Approval #	Year of Original Installation or Replacement	No Information Provided for Compliance			
	1. Asphalt/Fiberglass Shingle			2016				
	2. Concrete/Clay Tile							
	3. Metal							
	4. Built Up							
	5. Membrane							
	6. Other							
×								
	B. All roof coverings have a M roofing permit application after							
	C. One or more roof coverings	do not meet the requireme	ents of Answer "A" or	r "B".				
	D. No roof coverings meet the	requirements of Answer "A	A" or "B".					
3. Ro	of Deck Attachment: What is the	he <u>weakest</u> form of roof de	ck attachment?					
	A. Plywood/Oriented strand board (OSB) roof sheathing attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by staples or 6d nails spaced at 6" along the edge and 12" in the fieldOR- Batten decking supporting wood shakes or wood shinglesOR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that has an equivalent mean uplift less than that required for Options B or C below.							
	B. Plywood/OSB roof sheathing with a minimum thickness of 7/16" inch attached to the roof truss/rafter (spaced a maximum of 24" inches o.c.) by 8d common nails spaced a maximum of 12" inches in the fieldOR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent or greater resistance than 8d nails spaced a maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf.							
X	C. Plywood/OSB roof sheathin 24"inches o.c.) by 8d common decking with a minimum of 2	nails spaced a maximum nails per board (or 1 nail p	of 6" inches in the fi	eldOR- Dimensional lum d is equal to or less than 6	ber/Tongue & Groove inches in width)OR-			
Inspectors Initials OE Property Address Poinciana Dr WESTON FL 33326								
T1..		. 4. 6 (5)	. d	h h d- 4- 4b	-44			

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

		or greater resi	stance than 8d common nails spaced a maximum of 6 inches	s in the field or has a mean uplift resistance	of at least				
		D. Reinforced Concrete Roof Deck.							
		E. Other:							
			or unidentified.						
		G. No attic ac	ccess.						
4.		eet of the inside	achment: What is the <u>WEAKEST</u> roof to wall connection? e or outside corner of the roof in determination of WEAKES		ks within				
	Ш	A. Toe Nails	T- / 0 1 14 4 14 C- 11-: '1 1:-	1 4 - 1 4 / 6 1	1 1				
			Truss/rafter anchored to top plate of wall using nails drive the top plate of the wall, or		ttached to				
			Metal connectors that do not meet the minimal conditions o	r requirements of B, C, or D					
	Mi	nimal conditio	ns to qualify for categories B, C, or D. All visible metal co	onnectors are:					
		×	Secured to truss/rafter with a minimum of three (3) nails, an	nd					
		X	Attached to the wall top plate of the wall framing, or embed the blocking or truss/rafter and blocked no more than 1.5" of corrosion.		ap from				
		B. Clips							
			Metal connectors that do not wrap over the top of the truss/	rafter, or					
			Metal connectors with a minimum of 1 strap that wraps over position requirements of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of the contract of C or D, but is secured with a minimum of C or D, but is secured wi		et the nail				
	X	C. Single Wr	aps Metal connectors consisting of a single strap that wraps or minimum of 2 nails on the front side and a minimum of 1 na		red with a				
		D. Double W	raps						
			Metal Connectors consisting of 2 separate straps that are att beam, on either side of the truss/rafter where each strap wra a minimum of 2 nails on the front side, and a minimum of	ips over the top of the truss/rafter and is secu					
			Metal connectors consisting of a single strap that wraps ove both sides, and is secured to the top plate with a minimum of		wall on				
		E. StructuralF. Other:	Anchor bolts structurally connected or reinforced conce	rete roof.					
		G. Unknown	or unidentified						
		H. No attic ac	ccess						
5.			What is the roof shape? (Do not consider roofs of porches or over unenclosed space in the determination of roof perimeter	÷					
		A. Hip Roof	Hip roof with no other roof shapes greater than 10% of						
		B. Flat Roof	Total length of non-hip features: feet; Total roo Roof on a building with 5 or more units where at least the less than 2:12. Roof area with slope less than 2:12	90% of the main roof area has a roof slope o					
	X	C. Other Roo			L				
6.	Sec	ondary Water	r Resistance (SWR): (standard underlayments or hot-moppe	ed felts do not qualify as an SWR)					
0.		A. SWR (also sheathing	o called Sealed Roof Deck) Self-adhering polymer modified- or foam adhesive SWR barrier (not foamed-on insulation) ap from water intrusion in the event of roof covering loss.	-bitumen roofing underlayment applied direc					
		C. Unknown	or undetermined.						
Ins	spec	tors Initials _	DE Property Address Poinciana Dr	WESTON FL	33326				

Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent

^{*}This verification form is valid for up to five (5) years provided no material changes have been made to the structure or inaccuracies found on the form.

7. Opening Protection: What is the weakest form of wind borne debris protection installed on the structure? First, use the table to determine the weakest form of protection for each category of opening. Second, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings and (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

Opening Protection Level Chart Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non-Glazed openings.		Glazed Openings				Non-Glazed Openings	
		Windows or Entry Doors	Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable- there are no openings of this type on the structure		X	X	X		
Α	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)					X	X
В	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
С	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007						
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
N	Opening Protection products that appear to be A or B but are not verified						
I N	Other protective coverings that cannot be identified as A, B, or C						
Х	No Windborne Debris Protection						

- A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only) All Glazed openings are protected at a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level A in the table above).
 - Miami-Dade County PA 201, 202, and 203
 - Florida Building Code Testing Application Standard (TAS) 201, 202, and 203
 - American Society for Testing and Materials (ASTM) E 1886 and ASTM E 1996
 - Southern Standards Technical Document (SSTD) 12
 - For Skylights Only: ASTM E 1886 and ASTM E 1996

💢 A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist

• For Garage Doors Only: ANSI/DASMA 115

in the table above

\square A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
☐ A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above
B. Exterior Opening Protection- Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only) All Glazed
openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):
• ASTM E 1886 <u>and</u> ASTM E 1996 (Large Missile – 4.5 lb.)
• SSTD 12 (Large Missile – 4 lb. to 8 lb.)
• For Skylights Only: ASTM E 1886 and ASTM E 1996 (Large Missile - 2 to 4.5 lb.)
☐ B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist

☐ B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above						
C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007 All Glazed openings are covered with						
plywood/OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).						
C.1 All Non-Glazed openings classified as A. B. or C in the table above, or no Non-Glazed openings exist						

B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X

C.1 All Non-Glazed openings classified as A, B, of C in the table above, of no Non-Glazed openings exist
C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in
the table above
C 3 One or More Non-Glazed openings is classified as Level N or X in the table above

☐ C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

*This verification	form is valid for u	p to five (5) years	provided no materia	al changes have been	made to the structure or
inaccuracies foun	d on the form.				


Inspectors Initials OE Property Address Poinciana Dr

WESTON


33326


N. Exterior Opening Protection (unverified shutter protective coverings not meeting the requirements of A						
with no documentation of compliance (Level N in the t		ystems that appear to meet	Allswei 7	A OI D		
☐ N.1 All Non-Glazed openings classified as Level A, B, C,	or N in the table above, or no	Non-Glazed openings exist				
☐ N.2 One or More Non-Glazed openings classified as Level table above	D in the table above, and no ?	Non-Glazed openings classifie	d as Level >	X in the		
☐ N.3 One or More Non-Glazed openings is classified as Lev	rel X in the table above					
☐ X. None or Some Glazed Openings One or more Glazed	ed openings classified and	Level X in the table above				
MITIGATION INSPECTIONS MUST I Section 627.711(2), Florida Statutes, prov						
Qualified Inspector Name: OSCAR ECHEVERRI	License Type: HOME INSPECTOR	License or Certificate HI2792	<u>: #:</u>			
Inspection Company: GAIA CONSTRUCTION INC.		Phone: 954.882.2672				
Qualified Inspector – I hold an active license as a	: (check one)					
Home inspector licensed under Section 468.8314, Florida Statut training approved by the Construction Industry Licensing Board			icane mitiga	ation		
☐ Building code inspector certified under Section 468.607, Florida	a Statutes.					
☐ General, building or residential contractor licensed under Section	n 489.111, Florida Statutes.					
Professional engineer licensed under Section 471.015, Florida S	tatutes.					
Professional architect licensed under Section 481.213, Florida S	tatutes.					
Any other individual or entity recognized by the insurer as possoverification form pursuant to Section 627.711(2), Florida Statute		ions to properly complete a ur	niform mitig	gation		
Individuals other than licensed contractors licensed under						
under Section 471.015, Florida Statues, must inspect the st						
<u>Licensees under s.471.015 or s.489.111 may authorize a direxperience to conduct a mitigation verification inspection.</u>	ect employee who possess	ses the requisite skill, kno	wledge, an	<u>1a</u>		
OCCAD ECHEVEDDI	d I	. d 4h a inamaatian an (lian				
I, OSCAR ECHEVERRI am a qualified inspector : (print name)	and I personally perform	ea the inspection or (<i>licen</i>	sea			
contractors and professional engineers only) I had my empl	oyee ((print name	perform the inspector)	tion			
and I agree to be responsible for his/her work.	· ·	· · · · · · · · · · · · · · · · · · ·				
Qualified Inspector Signature: Date:						
An individual or entity who knowingly or through gross negligence provides a false or fraudulent mitigation verification form is subject to investigation by the Florida Division of Insurance Fraud and may be subject to administrative action by the appropriate licensing agency or to criminal prosecution. (Section 627.711(4)-(7), Florida Statutes) The Qualified Inspector who certifies this form shall be directly liable for the misconduct of employees as if the authorized mitigation inspector personally						
performed the inspection.						
<u>Homeowner to complete</u> : I certify that the named Qualifier residence identified on this form and that proof of identification				the		
Signature:	Date:	 				
An individual or entity who knowingly provides or utters a obtain or receive a discount on an insurance premium to work of the first degree. (Section 627.711(7), Florida Statutes)						
The definitions on this form are for inspection purposes or as offering protection from hurricanes.	aly and cannot be used to	certify any product or co	nstruction	feature		
Inspectors Initials OE Property Address Poinciana Dr		WESTON	FL	33326		
*This verification form is valid for up to five (5) years pro	vided no material changes	s have been made to the s	tructure o	r		

inaccuracies found on the form. OIR-B1-1802 (Rev. 01/12) Adopted by Rule 69O-170.0155




PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS





PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS DATE: 03-20-xxxx






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS







PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS





PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS DATE: 03-20-xxxx







PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS DATE: 03-20-xxxx

DATE: 05 20 XXXX






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS





PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS





PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS






PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS







PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS





PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS





PROPERTY INSPECTION – POINCIANA DR WESTON, FL ATTACHMENT - PHOTOGRAPHS

